



Dysport[®]
abobotulinumtoxinA
300 Units for Injection

Actual patient. Individual results may vary. Images have not been retouched.

**TAKE CHARGE OF
YOUR FROWN LINES
WITH *DYSPORT*[®]**

FOR NATURAL LOOKING RESULTS

Indication

Dysport is a prescription injection for temporary improvement in the look of moderate to severe frown lines between the eyebrows (glabellar lines) in adults less than 65 years of age.

Please see full Important Safety Information, including Distant Spread of Toxin Effect Boxed Warning, on pages 6-7.

FEATURES

- 4 *What is Dysport?*
- 5 *Fight frown lines between your eyebrows with Dysport*
- 6 *Important Safety Information*
- 10 *Before and After photos*
- 11 *Aspire Rewards*

DysportUSA.com

Take charge of the frown lines between your eyebrows **WITHOUT** surrendering to a look that's not you

We all know that a daily skin care regimen is essential for healthy skin. But when it comes to treating frown lines between the eyebrows, that may not be enough.

Fortunately, *Dysport* can help.

In this issue, you'll discover what's causing your frown lines and how *Dysport* helps fight them, without leaving you with an overdone, Hollywood look.

The most common side effects are nose and throat irritation, headache, injection site pain, injection site skin reaction, upper respiratory tract infection, eyelid swelling, eyelid drooping, sinus inflammation and nausea.

Please see full Important Safety Information, including Distant Spread of Toxin Effect Boxed Warning, on pages 6-7.

NOT GLAM

Actual Dysport user.
Results unretouched.
Results may vary.

Just Pam.

I'm all for losing frown lines without losing me. That's why I keep it real with Dysport.

*Don't freeze me **Dysport** me*

**FIND A DYSPORT SPECIALIST
TODAY AT DYSPORTUSA.COM**

Indication

Dysport is a prescription injection for temporary improvement in the look of moderate to severe frown lines between the eyebrows (glabellar lines) in adults less than 65 years of age.

Please see full Important Safety Information, including Distant Spread of Toxin Effect Boxed Warning, on pages 6-7.

Dysport[®]
abobotulinumtoxinA
300 Units for Injection

BEAUTY BUZZ Q&A

Q. WHAT'S CAUSING MY FROWN LINES?

- A. Over time, repeated movement of the facial skin by the forehead muscles forms lines between the eyebrows. Contrary to popular belief, frown lines are not always caused by age. While age is certainly a factor, repeated facial movements, such as frowning or squinting, can also create frown lines, which means they may even develop in younger adults.

Q. WHAT EXACTLY IS *DYSPORT*?

- A. *Dysport* is a prescription injection that temporarily improves the look of moderate to severe frown lines between the eyebrows in adult patients less than 65 years of age. With *Dysport*, it's just the frown lines that are minimized, not your expressions. *Dysport* has been shown to deliver temporary improvement in moderate to severe frown lines, even with repeat treatments.

Q. HOW DOES *DYSPORT* SMOOTH THE LOOK OF FROWN LINES?

- A. With just 1 injection into each of the 5 points between and over the eyebrows, *Dysport* blocks the signal from the nerve to the muscles, which reduces muscle activity and temporarily prevents contraction of the muscles that cause frown lines between the eyebrows.

Dysport may not be right for you if: you have surgical changes to your face, very weak muscles in the treatment area, your face looks very different from side to side, the injection site is inflamed, you have droopy eyelids or sagging eyelid folds, deep facial scars, thick oily skin, or if your wrinkles can't be smoothed by spreading them apart.

Please see full Important Safety Information, including Distant Spread of Toxin Effect Boxed Warning, on pages 6-7.

YOUR STEP-BY-STEP GUIDE TO ACHIEVING A NATURAL LOOK WITH *DYSSPORT*

1. The consultation

Discuss your expectations with your doctor and whether you have any health conditions or allergies that could interfere with your treatment.

2. The treatment

Effective treatment requires 1 injection into each of the 5 points between and over the eyebrows. Although office visit times may vary, the procedure generally takes just 10 to 20 minutes. Your healthcare professional will determine the exact placement of each injection to get results that are right for you.

3. After treatment

There is minimal downtime needed following the procedure. More than half of patients saw improvement 2 to 3 days after treatment.[†] Ask your doctor about any precautions you should take after your treatment.

Call your doctor or get medical help right away if you have any problems swallowing, speaking, or breathing. If this happens, do not drive a car or operate machinery.

The most common side effects are nose and throat irritation, headache, injection site pain, injection site skin reaction, upper respiratory tract infection, eyelid swelling, eyelid drooping, sinus inflammation, and nausea.

4. Maintenance

Results may last up to 4 months.[‡] To maintain your results, you should discuss a treatment schedule with your doctor.

†A secondary endpoint based on Kaplan-Meier estimates of cumulative rate of time to onset of response. The median time to onset of response was 3 days in GL-1 (Dysport 55/105 [52%], Placebo 3/53 [6%]) and GL-2 (Dysport 36/71 [51%], Placebo 9/71 [13%]), and 2 days in GL-3 (Dysport 110/200 [55%], Placebo 4/100 [4%]).

‡GL-1 and GL-3 evaluated subjects for at least 150 days following treatment. Based on investigator assessment at 120 days, the percentage of responders in GL-1 was Dysport 23% (24/105), Placebo 4% (2/53); in GL-3, Dysport 29% (58/200), Placebo 1% (1/100).

Please see full Important Safety Information, including Distant Spread of Toxin Effect Boxed Warning, on pages 6-7.

Dysport[®]
abobotulinumtoxinA
300 Units for Injection

Indication

Dysport is a prescription injection for temporary improvement in the look of moderate to severe frown lines between the eyebrows (glabellar lines) in adults less than 65 years of age.

Important Safety Information

What is the most important information you should know about *Dysport*?

Spread of Toxin Effects: In some cases, the effects of *Dysport* and all botulinum toxin products may affect areas of the body away from the injection site. These effects can cause symptoms of a serious condition called botulism. Symptoms of botulism can happen hours to weeks after injection and may include swallowing and breathing problems, loss of strength and muscle weakness all over the body, double vision, blurred vision and drooping eyelids, hoarseness or change or loss of voice, trouble saying words clearly, or loss of bladder control. Swallowing and breathing problems can be life threatening and there have been reports of death.

The risk of symptoms is probably greatest in children treated for muscle spasms but symptoms can also occur in adults treated for muscle spasms and other conditions, particularly in those patients who have underlying conditions that would predispose them to these symptoms.

The toxic effects have been reported at doses similar to those used to treat muscle spasms in the neck. Lower doses, in both approved and unapproved uses, have also caused toxic effects. This includes treatment of children and adults for muscle spasms.

These effects could make it unsafe for you to drive a car, operate machinery, or do other dangerous activities.

Do not have *Dysport* treatment if you: are allergic to *Dysport* or any of its ingredients (see the end of the Medication Guide for a list of ingredients), are allergic to cow's milk protein, had an allergic reaction to any other botulinum toxin product, such as Myobloc[®] or Botox[®], or have a skin infection at the planned injection site.

The dose of *Dysport* is not the same as the dose of any other botulinum toxin product. The dose of *Dysport* cannot be compared to the dose of any other botulinum toxin product you may have used.

***Dysport* may not be right for you if:** you have surgical changes to your face, very weak muscles in the treatment area, your face looks very different from side to side, the injection site is inflamed, you have droopy eyelids or sagging eyelid folds, deep facial scars, thick oily skin, or if your wrinkles can't be smoothed by spreading them apart.

Tell your doctor about all your medical conditions, including if you have: a disease that affects your muscles and nerves (such as amyotrophic lateral sclerosis [ALS or Lou Gehrig's disease], myasthenia gravis, or Lambert-Eaton syndrome), allergies to any botulinum toxin product or had any side effect from any botulinum toxin product in the past, a breathing problem (such as asthma or emphysema), swallowing problems,

bleeding problems, diabetes, or a slow heart beat or other problem with your heart rate or rhythm, plans to have surgery, had surgery on your face, weakness of your forehead muscles (such as trouble raising your eyebrows), drooping eyelids, or any other change in the way your face normally looks. Patients with a disease that affects muscles and nerves who are treated with typical doses of *Dysport* may have a higher risk of serious side effects, including severe swallowing and breathing problems.

Human Albumin

This product contains albumin taken from human plasma. Steps taken during donor screening and product manufacturing processes make the risk of spreading viral diseases extremely rare. In theory, there is also an extremely rare risk of contracting Creutzfeldt-Jakob disease (CJD). No cases of spread of viral diseases or CJD have ever been reported for albumin.

Allergic Reaction to Injecting in the Skin

It is not known if an allergic reaction can be caused by injecting *Dysport* into the skin. The safety of treating excessive sweating with *Dysport* is not known.

Common Side Effects

The most common side effects are nose and throat irritation, headache, injection site pain, injection site skin reaction, upper respiratory tract infection, eyelid swelling, eyelid drooping, sinus inflammation, and nausea.

Tell your doctor about all the medicines you take, including prescription and nonprescription medicines, vitamins and herbal and other natural products. Using *Dysport* with certain other medicines may cause serious side effects. **Do not start any new medicines while taking *Dysport* without talking to your doctor first.**

Especially tell your doctor if you: have received any other botulinum toxin product in the last four months, have received injections of botulinum toxin, such as Myobloc® (rimabotulinumtoxinB) or Botox® (onabotulinumtoxinA) in the past (be sure your doctor knows exactly which product you received), have recently received an antibiotic by injection, take muscle relaxants, take an allergy or cold medicine, or take a sleep medicine.

Use in Specific Populations

Dysport should not be used in children or in women who are pregnant or breastfeeding.

Ask your doctor if *Dysport* is right for you.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see *Dysport* Full Prescribing Information including Medication Guide.

Dysport®
abobotulinumtoxinA
300 Units for Injection

NOT

HOLLYWOOD

Just Holly.

The overdone look just isn't me.
That's why I fight frown lines
with Dysport.


Women who want a natural look choose *Dysport*[®]. It's proven to help smooth the appearance of moderate to severe frown lines between the eyebrows that get in your way. And when 97% of users say they'd do it again,* you can trust *Dysport* to deliver natural-looking results. Don't surrender to a look that's not you. Take charge of your frown lines by asking for *Dysport* by name.

Dysport[®]
abobotulinumtoxinA
300 Units for Injection

Don't freeze me
Dysport me

DYSPORTUSA.COM

**Dysport* Challenge. Data on file, Galderma Laboratories, L.P.



Actual *Dysport* user. Results unretouched. Results may vary.

Important Safety Information

***Dysport* may not be right for you if:** you have surgical changes to your face, very weak muscles in the treatment area, your face looks very different from side to side, the injection site is inflamed, you have droopy eyelids or sagging eyelid folds, deep facial scars, thick oily skin, or if your wrinkles can't be smoothed by spreading them apart.

Please see full Important Safety Information, including Distant Spread of Toxin Effect Boxed Warning, on pages 6-7.

BEFORE & AFTER

See the difference *Dysport*[®] makes for Dina and Pam

Dina Before



Dina After 50 units of *Dysport*[®] (Day 10)



Pam Before



Pam After 50 units of *Dysport*[®] (Day 10)



See more Before & After photos at DysportUSA.com

Q. How can I fight frown lines between my eyebrows without losing my natural look?

- A.** Ask your doctor about *Dysport*[®]—a prescription treatment that temporarily improves the appearance of moderate to severe frown lines between the eyebrows without giving you the overdone, Hollywood look. And with 97% of users saying they'd do it again,* you can trust *Dysport* to deliver natural-looking results.

**Dysport* Challenge. Data on file, Galderma Laboratories, L.P.

Dysport[®]
abobotulinumtoxinA
300 Units for Injection

Please see full Important Safety Information, including Distant Spread of Toxin Effect Boxed Warning, on pages 6-7.



Actual patient.
Individual results may
vary. Images have not
been retouched.

THE BENEFITS OF LOOKING GOOD

Earn exclusive Galderma bonuses, perks,
and discounts when you sign up for **ASPIRE**

◆ JOIN ASPIRE GALDERMA REWARDS TODAY.

When you sign-up for free, you'll get savings on
treatments right away, plus access to exclusive perks.

◆ EARN POINTS USING GALDERMA AESTHETIC PRODUCTS.

Get rewarded when you redeem your points
for your choice of exclusive rewards, including:

- ◆ Reward Cards
- ◆ Cash back via check cards
- ◆ Savings on other Galderma
aesthetic products



GET INSTANT REWARDS AT
[ASPIREREWARDS.COM](https://www.aspirerewards.com)

NOT

FROZEN

Actual Dysport user.
Results unretouched.
Results may vary.

Just Francesca

Frown lines aren't my thing. But neither is the frozen look.

Women who want a natural look choose *Dysport*.[®]

Take charge of the frown lines between your eyebrows. Ask your specialist for *Dysport* by name

Visit DYSPORTUSA.COM to learn more

Indication

Dysport is a prescription injection for temporary improvement in the look of moderate to severe frown lines between the eyebrows (glabellar lines) in adults less than 65 years of age.

Please see full Important Safety Information, including Distant Spread of Toxin Effect Boxed Warning, on pages 6-7.

Dysport[®]
abobotulinumtoxinA
300 Units for Injection

 **GALDERMA**

© 2016 Galderma Laboratories, L.P.
The *Dysport* trademark is used under license. All trademarks are property of their respective owners.
MP-DYS-00118 04/16